

Final specifications for revisions
to PRS/2 and the Victorian
Admitted Episodes Dataset
(VAED) for 1 July 2012

Part 2 Editing

Orientation to this document

As this document provides 'proposals' for revisions, there are a few features that require explanation:

- New values and definitions relating to existing items are highlighted in orange.
- Changes to existing items are highlighted in green.
- Redundant values and definitions relating to existing items ~~are struck through~~.
- Comments relating only to the proposal document [*appear in square brackets and italics.*]
- Page numbers representing cross referencing to another section of the VAED Manual are represented by a #.
- Edits that are proposed to change are marked when listed as part of a Data Item or after an Edit Table with a * after the edit number. New proposed edits will be shown with an edit number of ###.
- The text is divided into the categories of 'Specification' and 'Administration' as presented in the *Victorian Admitted Episodes Dataset (VAED 21st Edition, 1 July 2011)*.
 - Specification*: details the reporting requirements for the item.
 - Administration*: provides additional information including the purpose of the collection of the data item and the source of the code set and definitions.
- Further information such as the background to each proposal is provided.

Section 8 Edits

Changes to edits due to submission file record types changing from E4 to E5 will be reflected in the VAED manual and will not be included in this document.

Deleted edits

- 305 Adm RUG ADL Present
- 306 Sep RUG ADL Present
- 341 Source Of Refer to Pal Care Present
- 453 Wrong PDx for Interim Care
- 454 Incompat Fields for Interim Care
- 474 Care Type E, LOS > 35 Days
- 475 Care Type F or E, not approved for Interim Care
- 541 Care Type K, not appr for Non-Desig Rehab
- 588 Care Type 7, not appr for Rehab Lvl 3
- 650 Program Identifier 03, not approved for Restorative Care

Edits with changed functionality but no change to wording

Edit number	Edit description	Change in functionality
036	Invalid Country of Birth	Change to codeset
041	Invalid Adm Source	K Posthumous Organ Procurement added
052	Invalid Adm Type	K Posthumous Organ Procurement added
056	Incompatible Adm Type/Source	K Posthumous Organ Procurement added

057	Incompat Adm Type/Age	K Posthumous Organ Procurement added
069	Newborn From Overseas	Change to codeset
072	Invalid Criterion for Adm	K Posthumous Organ Procurement, R Restorative Care Off-site added
074	Invalid Age for Criterion	K Posthumous Organ Procurement added
083	Invalid Account Class	KK Posthumous Organ Procurement episode added
084	Invalid Accom Type	R Restorative Care Off-site added
094	Combination A/C Accom Care Med Suff	A/C KK Posthumous Organ Procurement added Accom R Restorative Care Off-site added Care 10 Posthumous Organ Procurement added Care R1 Restorative Care On-site added Care R2 Restorative Care Off-site added Care Types 7, E, F, K deleted
103	Invalid Sep Mode	G Posthumous Organ Procurement added R Separation and Transfer to Restorative Care bed-based program removed
105	Invalid Sep Account Class	KK Posthumous Organ Procurement episode added
106	Invalid Sep Accom	R Restorative Care Off-site added
107	Invalid Type of Care	10 Posthumous Organ Procurement added
117	Sep Accom Type not in a Status Seg	Accom R Restorative Care Off-site added
192	Invalid Comb Int Readmit/Sep Mode	G Posthumous Organ Procurement added R Separation and Transfer to Restorative Care bed-based program removed
228	Unusual Birth Place	Change to codeset
328	Early Parenting Centre – Invalid Comb	Sep Mode R deleted
389	Invalid Sep Referral	E Declined domiciliary postnatal care added
390	Incompat Care Type, Carer Avail, Age and Sep Mode	Care Types R1, R2 added Care Types E, F, K, 7 deleted
397	Sep Referral Postnatal, Incompat Age/Sex	E Declined domiciliary postnatal care added
398	Sep Referral, Duplicates	E Declined domiciliary postnatal care added
419	Invalid Contract/Spoke Identifier	Removal of Codes 0050 and 0070
488	Incompatible Care Type/Admission Source Statistical	Refer to Business Rules (Tabular) <i>Admission Source and Care Type</i>
489	Incompatible Care Type/Separation Mode Statistical	Refer to Business Rules (Tabular) <i>Care Type and Separation Mode</i>
502	Statistical Episode: Care Type same as Next Episode	Change to Care Type codeset

503	Statistical Episode: Care Type same as Previous Episode	Change to Care Type codeset
511	Invalid Preferred Language	Change to codeset
599	Carer Availability not required	Refer to Business Rules (Tabular) <i>Age, Care Type, Carer Availability and Separation Mode</i>

Edits with changes to wording

004 Unknown Record Type

Effect	REJECTION
Problem	The Transaction Type (first two characters of this record) is not valid. Valid: H45, E45, X45, Y45, P5, S45, V45, T45, U445
Remedy	If this is a valid record, correct the Transaction Type and re-transmit the record.

065 Original Deleted Upd Sep < Cutoff

Effect	Warning
Problem	<p>This update transaction has been accepted but the effect (deletion of an E4 E5 Episode Record) may not be what was intended: you are warned that something has been deleted.</p> <p>The current E4 E5 has updated an existing episode including adding a Separation Date or changing an existing Separation Date but the new Separation Date has put the episode into a financial year for which the VAED file has been closed. [On 10 September each year, the file for the previous financial year is closed.]</p> <p>The effect of this current transaction has been to delete the original E4 E5 and any associated Records (X4/Y4 X5/Y5 Diagnosis Record, V4 V5 DVA and TAC Record, P5 Palliative Record, and/or S4 S5 Sub-Acute Record) from the current file, as the patient appears to have been separated before that period started. This update transaction is not retained on the current PRS/2 file. The effect is that the episode no longer appears in PRS/2.</p>
Remedy	<p>Check Separation Date.</p> <ul style="list-style-type: none">• If the Separation Date in this update transaction is correct then no further action is required: the VAED file for that period has been closed so no more data can be accepted.• If the Separation Date in this update transaction is incorrect and the correct date would place the separation in the period currently being collected, amend the Separation Date and re-transmit the E4 E5 and associated X4/Y4 X5/Y5, V4 V5, P5 and S4 S5, if applicable.

123 Episode Deleted

Effect	Warning
Problem	This is a successful E4 E5 Episode Record deletion; if an X4/Y4 X5/Y5 , V4 V5 , P5 or S4 S5 was also recorded in PRS/2, these have also been deleted.
Remedy	<p>If there was no such episode then no replacement E4 E5 needs to be re-transmitted to PRS/2 and no further action is necessary.</p> <p>If another E4 E5 is to be transmitted for this episode, the X4/Y4 X5/Y5, V4 V5, P5 and S4 S5, if applicable, must also be re-transmitted.</p>

169 No Corresponding Episode

Effect	REJECTION
Problem	This X4/Y4 X5/Y5 Diagnosis Record, S4 S5 Sub-Acute Record, P5 Palliative Record, or V4 V5 DVA and TAC Record has a Unique Key for which there is no E4 E5 Episode Record on file.
Remedy	This problem would be because the E4 E5 was: <ul style="list-style-type: none">• never submitted, or• deleted, or• rejected when first submitted because of an error and not corrected and re-transmitted, or• submitted with a different Unique Key.

Check Unique Key:

If Unique Key is wrong, amend and re-transmit this X4/Y4/S4/V4 X5/Y5/S5/V5/P5.

If Unique Key is the same as the original E4 E5, check which of the first three explanations above is applicable; if necessary, amend the E4 E5 and re-transmit together with this X4/Y4/S4/V4 X5/Y5/S5/V5/P5.

250 Deleted – Episode is Sub-Acute

Effect	Warning
Problem	An E4 E5 Episode Record has been successfully deleted; if an S4 S5 Sub-Acute Record was also recorded in PRS/2, the S4 S5 has also been deleted.
Remedy	If there was no such episode no further action is necessary. If another E4 E5 is to be re-transmitted for this episode and the Care Type is F, E, R1, R2, P, 2, 6, 7, K, 8 or 9, the S4 S5 must also be re-transmitted.

253 Rehab: Invalid Clin Sub-Prog or Impairment

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is P, 2, 6, 7 or K Rehabilitation but the S4 S5 Sub-Acute Record's Clinical Sub-Program or Impairment code is invalid.
Remedy	Check Care Type (E4 E5), Clinical Sub-Program (S4 S5) and Impairment (S4 S5), 293 amend as appropriate and re-transmit the E4 E5 and/or S4 S5. Refer to: Section 4: Business Rules (tabular) Care Type: Designated and Non-Designated Rehabilitation Programs (2, 6, 7 and K), Care Type P: Designated Paediatric Rehabilitation Program/Unit.

254 Rehab: Invalid Adm/Re-Adm to Rehab

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is P, 2, 6, 7 or K <i>Rehabilitation</i> but the S4 S5 Sub-Acute Record's Admission/Re-admission to Rehabilitation is invalid.
Remedy	Check Care Type (E4 E5) and Admission/Re-admission to Rehabilitation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5 . Refer to: Section 4: Business Rules (tabular) Care Type: Designated and Non-Designated Rehabilitation Programs (2, 6, 7 and K), Care Type P: Designated Paediatric Rehabilitation Program/Unit.

255 Rehab: Invalid Onset Date

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is P, 2 or 6, 7 or K but the S4 S5 Sub-Acute Record's Onset Date is either: <ul style="list-style-type: none">• In an incorrect format, or• Later than the Admission Date, or• Earlier than the Date of Birth.
Remedy	Check Admission Date, Care Type, Date of Birth (E4 E5) and Onset Date (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5 . Refer to: Section 4: Business Rules (tabular) Care Type: Designated and Non-Designated Rehabilitation Programs (2, 6, 7 and K), Care Type P: Designated Paediatric Rehabilitation Program/Unit.

258 Sub-Acute: No Sub-Acute Record

Effect	Warning
Problem	<p>The Public Hospital E4 E5 Episode Record's Care Type is P, 2 or 6, 7 or K Rehabilitation, 8 Palliative Care, 9 Geriatric Evaluation and Management Program or R1 or R2 Restorative Care F or E Interim Care, and a Separation Date is present, however there has been no S4 S5 Sub-Acute Record accepted for this patient.</p> <p>Triggers for this edit are:</p> <ul style="list-style-type: none">• If Care Type = P, 2 or 6, 7 or K, Clinical Sub-Program AND Impairment is not present.• If Care Type = 6, Barthel Index Score on Admission is not present.• If Care Type = 2, 6, 9, R1 or R2 E or F, FIM™ Score on Admission Barthel Index on Admission is not present.• If Care Type = 8, RUG ADL on Admission is not present.
Remedy	<p>Check Care Type, Separation Date (E4 E5) and all relevant S4 S5 data items (eg Admission/Readmission to Rehabilitation, Barthel Index Score on Admission and Separation, FIM™ Score on Admission, Clinical Sub-Program, Impairment, Onset Date, RUG ADL on Admission and Separation and Source of Referral to Palliative Care), amend as appropriate, and re-transmit the E4 E5 and/or S4 S5.</p> <p>If Care Type is correct, investigate why no S4 S5 is recorded: if it has been submitted but rejected, amend and re-transmit; if the information is not yet available, ensure the S4 S5 is submitted as soon as possible.</p> <p>If the patient is not yet separated, delete the Separation Date.</p>

262 Invalid Care Type for Newborn

Effect	NOTIFIABLE
Problem	<p>From the E4 E5 Episode Record, age at admission is calculated as 9 days or less but Care Type is not U <i>Unqualified newborn</i> or 4 <i>Other care (Acute) including Qualified newborn</i>.</p> <p>The only other acceptable Care Type for a babe under 10 days of age is 10 Posthumous Organ Procurement: if this is the case, notify the HDSS HelpDesk via the usual Notifiable edit process; if another Care Type has been reported, and the patient's age is correct (check the Date of Birth reported), amend the Care Type and resubmit the Episode Record.</p>
Remedy	<p>Check Admission Date, Care Type and Date of Birth, amend as appropriate and re-transmit the E4 E5.</p>

285 Sub-Acute Record not Required

Effect	REJECTION
Problem	An S4 S5 Sub-Acute Record has been transmitted, however in an E4 E5 Episode Record with the same Unique Key, the Care Type is not reported as one of P, 2 or 6, 7 or K <i>Rehabilitation</i> , 8 Palliative Care , <i>9 Geriatric Evaluation and Management Program</i> or R1 or R2 Restorative Care F or E Interim Care .
Remedy	Check Care Type (E4 E5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5 .

288 Sep Barthel & Sep Mode Incompatible

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 2 or 6 <i>7 or K Rehabilitation</i> , <i>9 Geriatric Evaluation and Management</i> , or F or E Interim Care , and the Separation Mode is D <i>Death</i> , but the S4 S5 Sub-Acute Record's Barthel Index Score on Separation is reported as greater than 000.
Remedy	Check Care Type and Separation Mode (E4 E5) and Barthel Index Score on Separation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5 . Barthel Index Score on Separation for patients who die in hospital is 000.

289 Adm Sc T'fer & Onset = Adm Date

Effect	NOTIFIABLE
Problem	The E4 E5 Episode Record's Care Type is P, 2 or 6, 7 or K and the Admission Source is T <i>Transfer from acute hospital/extended care/rehabilitation/geriatric centre</i> , but the S4 S5 Sub-Acute Record's Onset Date is the same date as the Admission Date in the E4 E5 .
Remedy	AEED acknowledges that for a small number of episodes this combination of data items is correct. Check Admission Date, Admission Source, Care Type (E4 E5) and Onset Date (with source hospital if necessary) (S4 S5). Where incorrect, amend as appropriate and re-transmit the E4 E5 and/or S4 S5 . Alternatively, contact the HDSS Helpdesk to confirm that information is correct. Where the data has not been corrected or confirmed AEED will periodically notify each hospital and ask them to do so. A patient transferred to this hospital to commence an episode of rehabilitation is expected to have an onset date for that condition before the start of this rehabilitation episode. Refer to: Section 4: Business Rules (tabular) Care Type: Designated and Non-Designated Rehabilitation Program (2, 6, 7 or K), Care Type P: Designated Paediatric Rehabilitation Program/Unit.

290 Stat Adm Sc & Onset = Adm Date

Effect	NOTIFIABLE
Problem	The E4 E5 Episode Record's Care Type is P, 2 or 6, 7 or K Rehabilitation and the Admission Source is S <i>Statistical admission (change in Care Type within this hospital)</i> , but the S4 S5 Sub-Acute Record's Onset Date is the same date as the Admission Date in the E4 E5.
Remedy	<p>AEED acknowledges that for a small number of episodes this combination of data items is correct. Check Admission Date, Admission Source, Care Type (E4 E5) and Onset Date (S4 S5). Where incorrect, amend as appropriate and re-transmit the E4 E5 and/or S4 S5. Alternatively, contact the HDSS Helpdesk to confirm that information is correct. Where the data has not been corrected or confirmed AEED will periodically notify each hospital and ask them to do so.</p> <p>Where there is a change of Care Type it is expected that the onset date would be before the start of this rehabilitation episode.</p> <p>Refer to:</p> <p>Section 4: Business Rules (tabular) Care Type Designated and Non-Designated Rehabilitation Program (2, 6, 7 or K), Care Type P: Designated Paediatric Rehabilitation Program/Unit.</p>

291 Adm Barthel > Sep Barthel

Effect	Warning
Problem	The E4 E5 Episode Record's Care Type is 2, 6, 7 or K Rehabilitation, 9 Geriatric Evaluation and Management Program, F or E Interim Care, and the Separation Mode is not D <i>Death</i> , or S <i>Statistical Separation (change in Care Type within this hospital)</i> ; however, the S4 S5 Sub-Acute Record's Barthel Index Score on Admission is higher than the Barthel Index Score on Separation.
Remedy	<p>Check Care Type, Separation Mode (E4 E5) and Barthel Index Scores on Admission and Separation (S4 S5), amend as appropriate, and re-transmit the E4 E5 and/or S4 S5.</p> <p>This may be correct, but for most patients an increase in Barthel Index Score would be expected over the course of an episode.</p>

292 Sep Barthel Present

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 2, P (Rehabilitation), 9 (Geriatric Evaluation and Management Program), R1 or R2 (Restorative Care) & Palliative Care but the S4 S5 Sub-Acute Record has a Barthel Index Score on Separation.
Remedy	Check Care Type (E4 E5) and Barthel Index Score on Separation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

293 Clin Sub-Program or Impairment Present

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care, 9 Geriatric Evaluation and Management Program, or R1 or R2 Restorative Care F or E Interim Care but the S4 S5 Sub-Acute Record has a Clinical Sub-Program or Impairment code.
Remedy	Check Care Type (E4 E5), Clinical Sub-Program (S4 S5), and Impairment (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

294 Onset Date Present

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care, 9 Geriatric Evaluation and Management Program, or R1 or R2 Restorative Care F or E Interim Care Program but the S4 S5 Sub-Acute Record has an Onset Date.
Remedy	Check Care Type (E4 E5) and Onset Date (S4 S5), amend as appropriate and re-transmit the E4 E5.

295 Adm/Readmit To Rehab Present

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care, 9 Geriatric Evaluation and Management Program, or R1 or R2 Restorative Care F or E Interim Care but the S4 S5 Sub-Acute Record has an Admission/Readmission to Rehabilitation code.
Remedy	Check Care Type (E4 E5) and Admission/Readmission to Rehabilitation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

297 Sep RUG ADL & Sep Mode Incompatible

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care and Separation Mode is D Death, but the S4 Sub-Acute Record's P5 Palliative Record's RUG ADL on Separation is greater than 00.
Remedy	Check Care Type, Separation Mode (E4 E5), and RUG ADL on Separation (S4 P5), amend as appropriate and re-transmit the E4 E5 and/or S4 P5.

298 Adm Barthel Present

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 2, P Rehabilitation, 8 Palliative Care, 9 Geriatric Evaluation and Management Program, R1 or R2 Restorative Care, but the S4 S5 Sub-Acute Record has a Barthel Index Score on Admission.
Remedy	Check Care Type (E4 E5) and Barthel Index Score on Admission (S4 S5), amend as appropriate, and re-transmit the E4 E5 and/or S4 S5.

303 Pall Care but Invalid Adm Rug ADL

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care Program but the S4 Sub-Acute Record's P5 Palliative Record's RUG ADL on Admission is invalid.
Remedy	Check Care Type (E4 E5) and RUG ADL on Admission (S4 P5), amend as appropriate and re-transmit the E4 E5 and/or S4 P5.

304 Pall Care but Invalid Sep Rug ADL

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care Program but the S4 Sub-Acute Record's P5 Palliative Record's RUG ADL on Separation is invalid.
Remedy	Check Care Type (E4 E5) and RUG ADL on Separation (S4 P5), amend as appropriate and re-transmit the E4 E5 and/or S4 P5.

340 Invalid Source of Refer to Pal Care

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is 8 Palliative Care but the Source of Referral to Palliative Care in the S4 Sub-Acute Record S5 Palliative Record is invalid.
Remedy	Check Care Type (E4 E5) and Source of Referral to Palliative Care (S4 P5 Palliative Record), amend as appropriate and re-transmit the E4 E5 and/or S4 P5.

397 Sep Referral Postnatal, Incompat Age/Sex

Effect	REJECTION
Problem	The E4 E5 Episode Record's Separation Referral is F <i>Domiciliary postnatal care arranged before discharge</i> or E <i>Domiciliary postnatal care, referral declined</i> but the patient's age and/or sex are incompatible.
Remedy	Check Admission Date, Date of Birth, Separation Referral and Sex, amend as appropriate and re-transmit the E4 E5. Only the mother is referred for postnatal care, therefore the patient must be female and of childbearing age (between 14 10 and 54 60 years).

398 Sep Referral, Duplicates

Effect	REJECTION
Problem	The E4 E5 Episode Record's Separation Referral contains duplicates, for example: FF or PP or FPF.
Remedy	Check Separation Referral, amend as appropriate and re-transmit the E4 E5 and X4/Y4. Each type of referral should only be reported once.

405 Inapplic Clin Prog or Impairment for Care Type 2

Effect	REJECTION
Problem	<p>The E4 E5 Episode Record's Care Type is 2 Rehabilitation–Level 1 but the S4 S5 Sub-Acute Record's Clinical Sub-Program or Impairment code does not justify Level 1 Rehabilitation (and then only for the rehabilitation episode following acute treatment). The categories justifying Level 1 are represented by Clinical Sub-Programs / Impairment:</p> <ul style="list-style-type: none">• 02x Head injury• 04x Spinal cord or• 05x Amputation of limb
Remedy	<p>Check Care Type (E4 E5), Clinical Sub-Program (S4 S5), and Impairment (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.</p> <p>If this is not the rehabilitation episode following acute treatment for head injury, spinal cord injury or amputation of limb, amend the Care Type to 6, 7 or K.</p> <p>If this is a rehabilitation episode following acute treatment for the relevant conditions, amend the Clinical Sub-Program or Impairment code.</p> <p>Refer to:</p> <p>Section 4: Business Rules (tabular) Care Type: Designated and Non-Designated Rehabilitation Program (2, 6, 7 or K).</p>

406 Rehab Care Type W/Out Rehab PDx

Effect	NOTIFIABLE
Problem	<p>The E4 E5 Episode Record's Care Type is P, 2 or 6, 7 or K Rehabilitation but the Principal Diagnosis Code is not Z50.- Care involving use of rehabilitation procedures.</p>
Remedy	<p>AEED acknowledges that for a small number of episodes this combination of data items is correct. Check Care Type (E4 E5) and Principal Diagnosis Code (X4 X5). Where incorrect, amend as appropriate and re-transmit the E4 E5 and/or X4 X5. Alternatively, contact the HDSS Helpdesk to confirm that information is correct. Where the data has not been corrected or confirmed AEED will periodically notify each hospital and ask them to do so.</p> <p>If this is not a Rehabilitation episode, amend the Care Type.</p> <p>If this is a Rehabilitation episode, check Principal Diagnosis code for a miss-code or miss-punch, or for a sequencing error; the Principal Diagnosis Code for a Rehabilitation episode should be Z50.-.</p>

407 Rehab Level 2, or 3 or 4 W Low Adm Barthel

Effect	Warning
Problem	The E4 E5 Episode Record's Care Type is 6, 7 or K Rehabilitation – Level 2, Level 3, or Non-Designated Program/Unit but the S4 S5 Sub-acute Record's Admission Barthel is less than 002.
Remedy	<p>Check Care Type (E4 E5) and Admission Barthel (S4 S5), amend as appropriate, and re-transmit the E4 E5 and/or S4 S5.</p> <p>It is unlikely that a patient with such a low Barthel would be receiving Level 2, 3 Non-Designated Program/Unit rehabilitation. Designated Rehabilitation care.</p> <p>If this was not Level 2, Level 3, or Non-Designated Program/Unit Rehabilitation, amend the Care Type.</p> <p>If this was Level 2, Level 3 or Non-Designated Program/Unit rehabilitation, check Admission Barthel.</p> <p>If the Barthel was not assessed for this episode, enter the Barthel for the initial rehabilitation episode, not 000.</p> <p>An exception would be a quadriplegic patient after the Level 1 rehabilitation episode.</p>

427 Trans Type Invalid Comb W Sep Date

Effect	REJECTION
Problem	The Transaction Type is invalid for the Separation Date reported for this episode. For episodes valid Transactions Types are E4, X4, Y4, S4, P5, and V4. For Header and Trailer records the valid Transaction Types are H4, T4, and U4.
Remedy	Check Transaction Type, amend as appropriate and re-transmit data.

468 Not NHT, LOS > 365 Days

Effect	NOTIFIABLE
Problem	The E4 Episode Record's Care Type is not 1 NHT/Non-Acute or F Interim Care Program – Nursing Home Type or 5T Approved Mental Health Service or Psychogeriatric Program, Mental Health Nursing Home Type, or 5E Mental Health Secure Extended Care Unit (SECU), and the calculated Length of Stay is > 365 days.
Remedy	AEED acknowledges that for a small number of episodes this combination of data items is correct. Check Admission Date, Care Type and Separation Date. Where incorrect, amend as appropriate and re-transmit the E4. Alternatively, contact the HDSS Helpdesk to confirm that information is correct. Where the data has not been corrected or confirmed AEED will periodically notify each hospital and ask them to do so.

498 Pall Care without Pall Care Diag

Effect	REJECTION
Problem	This is a Palliative Care episode (represented by Care Type 8 and/or the presence of Palliative Care Patient Days in the E4 Episode Record) yet the X4 or Y4 Diagnosis Record does not contain a Diagnosis Code of Z51.5 <i>Palliative Care</i> .
Remedy	Check Care Type, Palliative Care Patient Days (E4) and Diagnosis Codes (X4/Y4), amend as appropriate and re-transmit the E4 and/or X4/Y4.

506 Stat Episode: Rehab also in Next Episode

Effect	FATAL (DH only, not on PRS/2 reports)
Problem	The E4 E5 Episode Record's Separation Mode is S Statistical Separation (change in Care Type within this hospital) and Care Type is either 2, 6 or 7 Designated Rehabilitation, however the following episode's Care Type is also either 2, 6 or 7 Designated Rehabilitation, indicating a statistical separation to a different level of rehabilitation, excluding Care Type K Non-Designated Rehabilitation Program/Unit.
Remedy	<p>Check the episode's Separation Mode and Care Type and the subsequent episode's Care Type, amend as appropriate and re-transmit the E4 E5.</p> <p>This combination of data items is incorrect, but is fatal to accommodate the PRS/2 logic in the update process. AEED will notify each hospital periodically of their episodes that trigger fatal edits. This combination of data items must be amended, or episodes will be removed from the end of year VAED consolidated file.</p>

507 Stat Episode: Rehab also in Prior Episode

Effect	REJECTION
Problem	The E4 E5 Episode Record's Admission Source is S Statistical Admission (change in Care Type within this hospital) and Care Type is either 2, 6 or 7 Designated Rehabilitation, however the previous episode's Care Type is also either 2, 6 or 7 Designated Rehabilitation, indicating a statistical admission to a different level of rehabilitation, excluding Care Type K Non-Designated Rehabilitation Program/Unit.
Remedy	Check the episode's Admission Source and Care Type and the previous episode's Care Type, amend as appropriate and re-transmit the E4 E5 .

598 Same Day Rehabilitation: not in Scope

Effect	REJECTION
Problem	The E4 E5 Episode Record's Care Type is P, 2, 6, Z, K Rehabilitation Unit/Program, and the Admission Date and Separation Date are the same, and the Separation Mode is not T Separation and transfer to other acute hospital/extended care/rehabilitation/geriatric centre, D Death or Z Left against medical advice.
Remedy	<p>Check Admission Date, Care Type and Separation Date, amend as appropriate and re-transmit the E4 E5.</p> <p>Same day rehabilitation does not meet Criterion for Admission, and therefore should not be reported on the VAED.</p>

620 Adm Barthel/Functional Assessment Date/Care Type mismatch

Effect	REJECTION
Problem	The E4 E5 Episode Record and S4 S5 Sub-Acute Record have an invalid combination of Care Type, Barthel Index Score on Admission and Functional Assessment Date on Admission. If the Care Type is F, E, 2, 6, 7, R1 or R2 9 or K, a Barthel Index Score on Admission and a Functional Assessment Date on Admission must be present. For other Care Types, these fields must be spaces. This edit will trigger on the S4 S5 record only.
Remedy	Check Care Type (E4 E5), Functional Assessment Date on Admission (S4 S5), and Barthel Index Score on Admission (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

621 Sep Barthel/Functional Assessment Date/Care Type mismatch

Effect	REJECTION
Problem	The E4 E5 Episode Record and S4 S5 Sub-Acute Record have an invalid combination of Care Type, Barthel Index Score on Separation and Functional Assessment Date on Separation. If the Care Type is F, E, 2, 6, 7, R1 or R2 9 or K, a Barthel Index Score on Separation and a Functional Assessment Date on Separation must be present, unless the Separation Mode is D Death in which case the Functional Assessment Date on Separation may be spaces. For other Care Types, these fields must be spaces. This edit will trigger on the S4 S5 record only.
Remedy	Check Care Type (E4 E5), Functional Assessment Date on Separation (S4 S5), and Barthel Index Score on Separation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

622 Adm Functional Assessment Date > 7 days before Adm Date

Effect	REJECTION
Problem	The S4 S5 Sub-Acute record has a Functional Assessment Date on Admission which is more than 7 days before the Admission Date, and the episode is not a statistical change from Care Type F, E, 2, 6, 7, R1, R2 or 9 or K.
Remedy	Check Admission Date (E4 E5) and Functional Assessment Date on Admission (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

624 Sep Funct Assess Date > 7 days after Sep Date

Effect	REJECTION
Problem	The S4 S5 Sub-Acute record has a Functional Assessment Date on Separation which is more than 7 days after the Separation Date and the episode is not a statistical separation to Care Type F, E, 2, 6, 7, R1, R2 or 9 or K.
Remedy	Check Separation Date (E4 E5) and Functional Assessment Date on Separation (S4 S5). Where incorrect, amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

627 Care Type changed, Sub-Acute data deleted

Effect	Warning
Problem	Sub-Acute data previously submitted for this Unique Key has been deleted. An E4 E5 record with Care Type F, E, P, 2, 6, 7, R1, R2, or 9 or K and an S4 S5 record have previously been accepted, but this E4 E5 record has Care Type 1, 8, 10, 5x, 0, 4 or U and therefore Sub-Acute data should not be present.
Remedy	If the Care Type was changed in error, the E4 E5 and S4 S5 records must be re-submitted with corrected data. If the Care Type was changed intentionally then no further action is required.

662 Adm FIMTM/Functional Assessment Date/Care Type mismatch

Effect	REJECTION
Problem	The E4 E5 Episode Record and S4 S5 Sub-Acute Record have an invalid combination of Care Type, FIMTM Score on Admission and Functional Assessment Date on Admission. If the Care Type is F, E, 2, 6, 7, R1, R2 or 9, a FIMTM Score on Admission and a Functional Assessment Date on Admission must be present. Adm FIMTM is optional for Care Type K. For other Care Types, these fields must be spaces. This edit will trigger on the S4 S5 record only.
Remedy	Check Care Type (E4 E5), Functional Assessment Date on Admission (S4 S5), and FIMTM Score on Admission (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

663 Sep FIMTM/Functional Assessment Date/Care Type mismatch

Effect	REJECTION
Problem	The E4 E5 Episode Record and S4 S5 Sub-Acute Record have an invalid combination of Care Type, FIMTM Score on Separation and Functional Assessment Date on Separation. If the Care Type is F, E, 2, 6, 7, R1, R2 or 9, a FIMTM Score on Separation and a Functional Assessment Date on Separation must be present, unless the Separation Mode is D Death in which case the Functional Assessment Date on Separation may be spaces. Sep FIMTM is optional for Care Type K. For other Care Types, these fields must be spaces. This edit will trigger on the S4 S5 record only.
Remedy	Check Care Type (E4 E5), Functional Assessment Date on Separation (S4 S5), and Barthel Index Score on Separation (S4 S5), amend as appropriate and re-transmit the E4 E5 and/or S4 S5.

New edits

XXX Care Type R1/R2, not approved for Restorative Care

Effect	REJECTION
Problem	The E5 Episode Record's Care Type is R1 or R2 Restorative Care but the Hospital Campus is not approved to provide such care.
Remedy	Check Care Type, amend as appropriate and re-transmit the E5. If you believe the hospital campus is approved to report this Care Type, contact the HDSS Help Desk. Refer to:

XXX Care Plan Documented Date is reported but Care Type is not sub-acute

Effect	Warning
Problem	A Care Plan Documented Date has been reported but the Episode Care Type is not P, 2, 6, 8, 9, R1 or R2.
Remedy	

XXX Care Type Sub-acute, Sep Date reported, Care Plan Documented Date is null

Effect	Warning
Problem	The Episode Care Type is P, 2, 6, 8, 9, R1 or R2 but a Care Plan Documented Date has not been reported.
Remedy	

XXX Phase of Care reported but Care Type is not 8

Effect	REJECTION
Problem	A P5 Palliative Record has been reported but the E5 Episode Record's Care Type is not 8 <i>Palliative Care</i> .
Remedy	

XXX Care Type is 8 but Phase of Care is null

Effect	Warning
Problem	The E5 Episode Record's Care Type is 8 <i>Palliative Care</i> , a Separation Date has been reported, but there is no P5 Palliative Record.
Remedy	

XXX Not sufficient fields: Phase of Care change

Effect	REJECTION
Problem	A P5 Palliative Record has been submitted but does not contain all data elements required.
Remedy	Check the specifications for the P5 Palliative Record, re-submit with missing element(s).

XXX Deleted – Episode is Palliative

Effect	Warning
Problem	An E4 Episode Record has been successfully deleted; if a P5 Palliative Record was also recorded in PRS/2, the P5 has also been deleted.
Remedy	If there was no such record no further action is necessary. If another E4 is to be re-transmitted for this episode and the Care Type is 8, the P5 must also be re-transmitted.

XXX Tran Pt ID not Same as Episode or Pall

Effect	Warning
Problem	The Public Hospital P5 Palliative Record's Unique Key/Patient Identifier does not match that in an E5 Episode Record or a P5 already on file for this Unique Key.
Remedy	Check Patient Identifier in both the P5 and E5, amend as appropriate, and re-transmit the E5 and/or P5. If there is an P5 already on file with an incorrect Patient Identifier, this new P5 will have altered that Patient Identifier, so no further action is required if this new P5's Patient Identifier is correct. If the Patient Identifier in the P5 already on file was correct, and this new P5's Patient Identifier is wrong, correct the Patient Identifier and re-transmit the P5.

XXX Palliative Care: No Palliative Record

Effect	Warning
Problem	The Public Hospital E5 Episode Record's Care Type is 8 <i>Palliative Care</i> , and a Separation Date is present, however there has been no P5 Sub-Acute Record accepted for this patient.
Remedy	Check Care Type and Separation Date (E5), amend as appropriate, and re-transmit the E5 and/or P5. If Care Type is correct, investigate why no P5 is recorded: if it has been submitted but rejected, amend and re-transmit; if the information is not yet available, ensure the P5 is submitted as soon as possible. If the patient is not yet separated, delete the Separation Date.

XXX Palliative Record not Required

Effect	REJECTION
Problem	An P5 Palliative Record has been transmitted, however in an E5 Episode Record with the same Unique Key, the Care Type is not reported as 8 Palliative Care.
Remedy	Check Care Type (E5), amend as appropriate and re-transmit the E5 and/or P5.

XXX Sep FIM™ & Sep Mode Incompatible

Effect	REJECTION
Problem	The E5 Episode Record's Care Type is 2, or 6 <i>Rehabilitation</i> , 9 <i>Geriatric Evaluation and Management</i> , or R1 or R2 <i>Restorative Care</i> , and the Separation Mode is D <i>Death</i> , but the S5 Sub-Acute Record's FIM™ Score on Separation is not 1(x18).
Remedy	Check Separation Mode (E5) and FIM™ Score on Separation (S5), amend as appropriate and re-transmit the E5 and/or S5. FIM™ Score on Separation for patients who die in hospital is 1(x18).

XXX Adm FIM™ > Sep FIM™

Effect	Warning
Problem	The E5 Episode Record's Care Type is 2, or 6 <i>Rehabilitation</i> , 9 <i>Geriatric Evaluation and Management Program</i> , or R1 or R2 <i>Restorative Care</i> , and the Separation Mode is not D <i>Death</i> , or S <i>Statistical Separation (change in Care Type within this hospital)</i> ; however, the S5 Sub-Acute Record's FIM™ Score on Admission is higher than the FIM™ Score on Separation.
Remedy	Check Care Type, Separation Mode (E5) and FIM™ Score on Admission and FIM™ Score on Separation (S5), amend as appropriate, and re-transmit the E5 and/or S5. This may be correct, but for most patients an increase in FIM™ Score would be expected over the course of an episode.

XXX No Pall Record To Delete

Effect	REJECTION
Problem	This is a Public Hospital P5 Palliative Record deletion but there is no P5 with the same Unique Key on file.
Remedy	Check Unique Key in the original P5, re-transmit the P5 deletion with the original Unique Key.

XXX Invalid Pall – Episode Sep Date

Effect	REJECTION
Problem	This P5 Palliative Record has the same Unique Key as an E4 E5 Episode Record with no Separation Date.
Remedy	<p>Check Separation Date and Unique Key (E4 E5), amend as appropriate and re-transmit the E4 E5 and P5.</p> <p>If the episode has ended, complete the Separation Date.</p> <p>If the episode has not ended, delay re-submission of this P5 until after separation, when all details can be completed.</p>

XXX Sep Referral, Conflict

Effect	Warning
Problem	The E5 Episode Record's Separation Referral contains both F <i>Domiciliary postnatal care arranged before discharge</i> and E <i>Domiciliary postnatal care, referral declined</i> , which is an apparent conflict.
Remedy	Check Separation Referral, amend as appropriate and re-transmit the E5 and X5/Y5.

XXX Rehab Level 2 W Low Adm FIM™

Effect	Warning
Problem	The E5 Episode Record's Care Type is 6 <i>Rehabilitation – Level 2</i> but the S4 Sub-acute Record's FIM™ on admission is less than 002.
Remedy	<p>Check Care Type (E5) and FIM™ on admission (S5), amend as appropriate, and re-transmit the E5 and/or S5.</p> <p>It is unlikely that a patient with such a low FIM™ on admission would be receiving Level 2 rehabilitation care.</p> <p>If this was <i>not</i> Level 2 rehabilitation, amend the Care Type.</p> <p>If this was Level 2, check FIM™ on admission .</p> <p>If the FIM™ on admission was not assessed for this episode, enter the FIM™ for the initial rehabilitation episode, not 000.</p>

New edits – further details to be provided shortly

- XXX Care Type 2, 6, P, 8, 9 R1 or R2, Separation Date reported, but Care Plan Documented Date is null (W)
- XXX Care Plan Documented Date is reported but Care Type is not 2, 6, P, 8, 9, R1 or R2 (R)
- XXX Care Plan Documented Date reported is more than 7 days after Admission Date (W)
- XXX Care Type 2, 6, P, 8, 9, R1 or R2, Separation Date reported, but Care Plan Documented Date is before Admission Date (R)
- XXX Care Type 2, 6, P, 8, 9, R1 or R2, Separation Date reported, but Care Plan Documented Date is after Separation Date (R)
- XXX Invalid date format in Care Plan Documented Date field (R)
- XXX Phase of Care Change Date is after the Separation Date (R)
- XXX Phase of Care Change Date is invalid (R)
- XXX Not sufficient fields: Phase of Care change (R)
- XXX Palliative Care: No Palliative Record (W)
- XXX Palliative Care: Phase of Care Change Date before Admission Date (R)
- XXX Palliative Care: same Phase of Care Change Date repeated (R)
- XXX Palliative Care: Phase of Care Change Date = Separation Date (R)
- XXX Palliative Care: Phase of Care Change Date = Admission Date (R)
- XXX Palliative Care record: Care Type not Palliative Care (R)
- XXX Palliative Care record: Episode not yet separated (R)
- XXX Palliative Care: Phase Change Dates not in sequence (R)
- XXX Palliative Care: LOS insufficient for Phase Changes reported (R)
- XXX Palliative Record but Care Type not Palliative Care (R)
- XXX Phase of Care invalid (R)
- XXX Not sufficient fields: Phase of Care change (R)
- XXX Phase same as previous but not Sep Phase (R)
- XXX Sep Phase same as previous (W)
- XXX Organ Proc episode: previous episode but not = 1 minute before