Victorian COVID-19 Surveillance Report

21 June 2024

OFFICIAL



Epidemiological Summary

Current trends indicate high but decreasing levels of COVID-19 activity in Victoria.


Daily counts last 12 weeks	
462	The number of people in hospital with COVID-19 has decreased this week. The 7-day average is 311, compared to 368 last week.
4	The latest quantitative wastewater measures indicate there are high SARS-CoV-2 viral loads in Victorian wastewater in both metropolitan and regional catchments. Increasing levels of SARS-CoV-2 in wastewater suggest increasing prevalence of COVID-19 infections in the community. (Plot shows metropolitan relative quantitative levels of SARS-CoV-2 in wastewater)
	Deaths in the most recent 28-day period (08 May 2024 - 04 Jun 2024) have increased compared to the prior 28-day period (10 Apr 2024 - 07 May 2024), with a current 28-day total of 178. Increases and decreases in the reporting of deaths attributable to COVID-19 tend to lag waves of infections and hospitalisations by several weeks.
	Following rapid growth in early December .IN.1 (including sublineages) remains the dominant variant in Victorian



Following rapid growth in early December, **JN.1 (including sublineages) remains the dominant variant in Victorian wastewater samples** at approximately 54% in the most recent samples (excluding KP.3).

As of 3 May 2024, four JN.1 sublineages were declared Variants Under Monitoring by the WHO, including **KP.3 which has been increasing in Victorian wastewater** at approximately 42% in the most recent samples. KP.3 is one of the fastest growing variants globally, making up 22% of sequenced samples globally in the week to 25 May 2024.


COVID Hospitalisations



Note: Faded area includes current month where data is incomplete


This graph shows data back to September 2021 when hospitalisations were increasing during the Delta variant wave. Hospitalisations represent the number of COVID-19 positive patients in hospital on a given day. Please note that COVID-19 hospitalisation data from CHRIS is unavailable for dates between 15 March 2024 and 30 March 2024

COVID Mortality



Date is based on date of death, not the date of when each death was reported. This applied to all death metrics in this report unless stated otherwise.

Wastewater surveillance: variant trends in Victoria




Analysis of wastewater samples can help us understand which SARS-CoV-2 variants are currently circulating in Victoria.

In the past there have been waves of infections and hospitalisations when a new variant or subvariant has spread quickly relative to the others.

There are a number of closely related sublineages circulating in Victoria. Only the most detected variants have been displayed here.

Quantitative Wastewater Levels



Quantitative wastewater sampling and 7day average hospitalisations provide insights into changes in prevalence and COVID-19 wave detection.


These charts show the median SARS-CoV-2 wastewater viral loads with hospitalisations over time, which show a close relationship.

Quantitative SARS-CoV-2 levels are normalised by PMMoV (a non-pathogenic virus that is shed consistently by the population) and smoothed over the read period to account for rainfall, population movements and catchment size.

Please note that COVID-19 hospitalisation data from CHRIS is unavailable for dates between 15 and 30 March 2024

Appendix

COVID-19 Historical Data



Cases are reported according to the definitions given in the Coronavirus (COVID-19) CDNA National Guidelines for Public Health Units. Where multiple positive test results are received for the same person within 35 days of the initial test result they are counted as a single case. As of 30 June 2023, probable cases are not collected by the Victorian Department of Health, case counts since this date reflect cases with a positive PCR test only.

COVID-19 Hospitalisations represent the number of active COVID-19 patients in hospital on a given day. This is reported in two ways:

- as reported by Victorian hospitals to the Critical Health Resource Information Service (CHRIS) as aggregated data.
- as reported to the Victorian Nosocomial Infection Surveillance System (VICNISS) at case level. Totals using demographic breakdowns from VICNISS may differ from totals using the aggregated values from CHRIS.

COVID-19 deaths are counted according to the Victorian surveillance definition, including all deaths reported in the Victorian Deaths Index (VDI) with COVID-19 listed as a primary or contributing cause of death on the medical death certificate, or a death within 35 days of diagnosis, excluding clearly unrelated causes such as trauma. Deaths may be reported retrospectively as the time between death, submission of the data to VDI and linkage to case data may vary.